

ORDINANCE NO. 441

An ordinance to amend ordinance number 325, relating to sewer pipe specifications.

THE CITY OF STAYTON ORDAINS AS FOLLOWS:

Section 1. Section 5, Subsection E of Ordinance number 325, entitled "AN ORDINANCE REGULATING THE USE OF PUBLIC AND PRIVATE SEWERS AND DRAINS, PRIVATE SEWAGE DISPOSAL, THE INSTALLATION AND CONNECTION OF BUILDING SEWERS, AND THE DISCHARGE OF WATERS AND WASTES INTO THE PUBLIC SEWER SYSTEM, REQUIRING APPLICATION, PERMITS, AND FEES: PROVIDING PENALTIES FOR VIOLATIONS THEREOF AND DECLARING AN EMERGENCY" shall be henceforth be amended and read as follows:

The building sewer shall be of cast iron soil pipe conforming to Federal Specification WW-P-401, Class B, with poured lead and caulked joints, or rubber ring joints conforming to Federal Specifications, asbestos cement pipe with rubber ring joints conforming to Federal Specification SS-P-331A. Concrete pipe conforming to ASTM Specification C-14, latest revision, bell and spigot, with rubber gasket type joints, conforming to ASTM C-443-63-T.

Passed by the Common Council this 15TH day of July 1974.

Approved by the Mayor this 22ND day of July 1974.


MAYOR

ATTEST:


RECORDER